Author Index to Volume 80

Page numbers of errata are in italic.

Aamodt, A. *See* K. M. Tronsmo, 587
Aboubacar, A., J. D. Axtell, L. Nduulu, and B. R. Hamaker. Turbidity assay for rapid and efficient identification of high protein digestibility sorghum lines, 40
Agbisit, R. M., V. Singh, J. J. Valenti, M. Kakleas, M. E. Tumbleson, and K. D. Rausch. Technique to measure surface-fouling tendencies of steepwater from corn wet milling, 84
Agterof, W. G. M. *See* Y. Nicolas, 371
Ahlgren, J. A. *See* P. Biely, 144
Aja, S. *See* C. M. Rosell, 52
Akkaya, A. *See* T. Dokuyucu, 542
Albertini, M. *See* B. J. Dobraszczyk, 218
Åman, P. *See* A. A. M. Andersson, 667
——. *See* L. Rimsten, 485
Ames, N. P., J. M. Clarke, J. E. Dexter, S. M. Woods, F. Selles, and B. Marchylo. Effects of nitrogen fertilizer on protein quantity and gluten strength parameters in durum wheat (*Triticum turgidum* L. var. *durum*) cultivars of variable gluten strength, 203
——, and C. R. Rhymer. Note: Development of a laboratory-scale flaking machine for oat end product testing, 699
Anderson, J. V., and C. F. Morris. Purification and analysis of wheat grain polyphenol oxidase (PPO) protein, 135
Anderssen, R. S. *See* B. G. Osborne, 613
——. *See* I. J. Wesley, 462
Andersson, A. A. M., C. M. Courtin, J. A. Delcour, H. Fredriksson, J. D. Schofield, I. Trogh, A. A. Tsiami, and P. Åman. Milling performance of north European hull-less barleys and characterization of resultant millstreams, 667
Andersson, A. *See* L. Rimsten, 485
Añón, M. C. *See* P. D. Ribotta,454
Autio, K. *See* M. Lyly, 536
Autran, J. C. *See* S. Peyron, 62
Axell, J. D. *See* A. Aboubacar, 40

Baardseth, P. *See* K. M. Tronsmo, 587
Baenziger, P. S. *See* H.Budak, 518
Baik, B.-K., and M.-R. Lee. Effects of starch amylose content of wheat on textural properties of white salted noodles, 304
——, C. S. Park, B. Paszczynska, and C. F. Konzak. Characteristics of noodles and bread prepared from double-null partial waxy wheat, 627
——. *See* C. S. Park, 297
——. *See* D. D. Dalgetty, 310
Baik, M.-Y., and P. Chinachoti. Water self-diffusion coefficient and staling of wheat bread as affected by glycerol, 740
Batey, I. L. *See* M. J. Sissons, 468
Bauer, N., P. Koehler, H. Wieser, and P. Schieberle. Studies on effects of microbial transglutaminase on gluten proteins of wheat. I. Biochemical analysis, 781
——, ——, ——, and ——. Studies on effects of microbial transglutaminase on gluten proteins of wheat. II. Rheological properties, 787
Bean, S. R. Evaluation of novel precast SDS-PAGE gels for separation of sorghum proteins, 500
——, and M. Tilley. Separation of water-soluble proteins from cereals by high-performance capillary electrophoresis (HPCE), 505
—. *See* C. M. Rosell, 52
Bechtel, D. B., and J. D. Wilson. Amyloplast formation and starch granule development in hard red winter wheat, 175
Beecher, B. S. *See* H. Budak, 518
Beer, M. U. *See* P. J. Wood, 329
Behall, K. M. *See* J. Hallfrisch, 76, 80
Bello-Pérez, L. A. *See* J. Tovar, 533
Belton, P. S. *See* N. Wellner, 596
BeMiller, J. N. *See* H. S. Lim, 198
——. *See* J. A. Stapley, 550
Bergman, C. J., and Z. Xu. Genotype and environment effects on tocopherol, tocotrienol, and γ-oryzanol contents of southern U.S. rice, 446
——. *See* F. D. Goffman, 459, 689
Bertolini, A. C., E. Souza, J. E. Nelson, and K. C. Huber. Composition and reactivity of A- and B-type starch granules of normal, partial waxy, and waxy wheat, 544
Bianchini, D. *See* N. Wellner, 596
Biely, P., J. A. Ahlgren, T. D. Leathers, R. V. Greene, and M. A. Cotta. Aryl-glycosidase activities in germinating maize, 144
Boischot, C., C. I. Moraru, and J. L. Kokini. Factors that influence the microwave expansion of glassy amylopectin extrudates, 56
Borrelli, G. M., A. M. De Leonardis, C. Fares, C. Platani, and N. Di Fonzo. Effects of modified processing conditions on oxidative properties of semolina dough and pasta, 225
Bot, A. Differential scanning calorimetric study on the effects of frozen storage on gluten and dough, 366
——, and D. W. de Bruijne. Osmotic properties of gluten, 404
Bothast, R. J. *See* V. Singh, 118
Brown, R. *See* P. L. Weegels, 424
Bruckner, P. L. *See* A. K. Jukanti, 712
Bruschke, M. V. *See* T. R. G. Jongen, 383
Bryngelsson, S., A. Ishihara, and L. H. Dimberg. Levels of avenanthramides and activity of hydroxycinnamoyl-CoA:hydroxyanthranilate *N*-hydroxycinnamoyal transferase (HHT) in steeped or germinated oat samples, 356
——, K. Sunnerheim, C. Holm, and L. H. Dimberg. Tentative avenanthramide-modifying enzyme in oats, 361
Budak, H., P. S. Baenziger, R. A. Braybosch, B. S. Beecher, K. M. Eskridge, and M. J. Shipman. Genetic and environmental effects on dough mixing characteristics and agronomic performance of diverse hard red winter wheat genotypes, 518
Byars, J. A. Jet cooking of waxy maize starch: Solution rheology and molecular weight degradation of amylopectin, 87

Calucci, L. *See* L. Galleschi, 99
Cao, T. K. *See* G. H. Robertson, 212
Chinachoti, P. *See* M.-Y. Baik, 740
Choi, S. G., and W. L. Kerr. Effect of hydroxypropylation on retrogradation and water dynamics in wheat starch gels using ^{1}H NMR, 290
Clare Mills, E. N. *See* N. Wellner, 596
Clarke, J. M. *See* N. P. Ames, 203
Conde-Petit, B. *See* C. Zweifel, 159
——. *See* S. Hug-Iten, 654
Conte, A. *See* M. A. Del Nobile, 601
Cotta, M. A. *See* P. Biely, 144
Courtin, C. M. *See* A. A. M. Andersson, 667
Cuniberti, M. B., M. R. Roth, and F. MacRitchie. Protein composition-functionality relationships for a set of Argentinean wheats, 132
Cuq, B. *See* A. D. Roman-Gutierrez, 558

Dalgetty, D. D., and B.-K. Baik. Isolation and characterization of cotyledon fibers from peas, lentils, and chickpeas, 310
Daniel, J. R. *See* E. Malinski, 1
de Bruijne, D. W. *See* A. Bot, 404
Dekker, J. G. *See* T. R. G. Jongen, 383
Delcour, J. A. *See* A. A. M. Andersson, 667
De Leonardis, A. M. *See* G. M. Borrelli, 225

Publication no. C-2003-1010-01O.

Del Nobile, M. A., C. Fares, A. Conte, N. Martinez-Navarrete, G. Mocci, and E. La Notte. Influence of raw materials and processing conditions on spaghetti hydration kinetic during cooking and overcooking, 601
Delwiche, S. R. *See* I. J. Wesley, 462
Desjardins, R. G. *See* M. S. Izydorczyk, 637
Devaux, M. F. *See* S. Peyron, 62
Dexter, J. E. *See* N. P. Ames, 203
——. *See* N. M. Edwards, 755
——. *See* M. S. Izydorczyk, 637, 645
——. *See* S. J. Symons, 511
Dien, B. S. *See* V. Singh, 118
Di Fonzo, N. *See* G. M. Borrelli, 225
Dimberg, L. H. *See* S. Bryngelsson, 356, 361
Dobraszcyk, B. J., J. Smewing, M. Albertini, G. Maesmans, and J. D. Schofield. Extensional rheology and stability of gas cell walls in bread doughs at elevated temperatures in relation to breadmaking performance, 218
——. *See* W. Li, 333
Doehlert, D. C., and M. S. McMullen. Identification of sprout damage in oats, 608
Dokuyucu, T., Peterson, D. M., and A. Akkaya. Note: Contents of antioxidant compounds in Turkish oats: Simple phenolics and avenanthramide concentrations, 542
Dolan, K. D. *See* J. C. Moore, 238
Dowell, F. E. *See* E. B. Maghirang, 316
——. *See* M. S. Ram, 188
——. *See* F. Xie, 25

Edwards, N. M., S. J. Mulvaney, M. G. Scanlon, and J. E. Dexter. Role of gluten and its components in determining durum semolina dough viscoelastic properties, 755
Eliasson, A.-C. *See* A. Watanabe, 281
Escher, F. *See* C. Zweifel, 159
——. *See* S. Hug-Iten, 654
Eskridge, K. M. *See* H. Budak, 518
Esselink, E., H. van Aalst, M. Maliepaard, T. M. H. Henderson, N. L. L. Hoekstra, and J. van Duynhoven. Impact of industrial dough processing on structure: A rheology, nuclear magnetic resonance, and electron microscopy study, 419
——, ——, ——, and J. P. M. van Duynhoven. Long-term storage effect in frozen dough by spectroscopy and microscopy, 396
——. *See* Y. Nicolas, 371
——. *See* P. L. Weegels, 424
Every, D., W. B. Griffin, and P. E. Wilson. Ascorbate oxidase, protein disulfide isomerase, ascorbic acid, dehydroascorbic acid and protein levels in developing wheat kernels and their relationship to protein disulfide bond formation, 35

Færgestad, E. M. *See* K. M. Tronsmo, 575, 587
Fares, C. *See* G. M. Borrelli, 225
——. *See* M. A. Del Nobile, 601
Featherstone, A. M. *See* Z. Yan, 623
Feng, D. *See* Z. Yan, 623
Ferdinando, D. *See* P. L. Weegels, 424
Fischer, A. M. *See* A. K. Jukanti, 712
——. *See* S. P. Lanning, 717
Flores, R. A. *See* C. D Lam, 20
Forssell, P. *See* S. Karppinen, 168
Foster, C. R. *See* A. K. Jukanti, 712
Fredriksson, H. *See* A. A. M. Andersson, 667

Gaines, C. S. *See* G. A. Garzón, 154
Galleschi, L., M. Ingrosso, S. Ghiringhelli, L. Calucci, and R. Lorenzi. Note: Isolation of wheat puroindoline-b from flour by preparative acid electrophoresis, 99
Garzón, G. A., C. S. Gaines, A. Mohamed, and D. E. Palmquist. Effect of oil content and pH on the physicochemical properties of corn starch-soybean oil composites, 154
Gellrich, C., P. Schieberle, and H. Wieser. Biochemical characterization and quantification of the storage protein (secalin) types in rye flour, 102
Genovese, D. B., and M. A. Rao. Role of starch granule characteristics (volume fraction, rigidity, and fractal dimension) on rheology and starch dispersions with and without amylose, 350
Ghiringhelli, S. *See* L. Galleschi, 99
Ghorbel, D., B. Launay, and B. Heyd. Improved method for measuring wheat flour dough pressure-sensitive adhesiveness, 732
Goffman, F. D., and C. Bergman. Hydrolytic degradation of triacylglycerols and changes in fatty acid composition in rice bran during storage, 459
——, and ——. Relationship between hydrolytic rancidity, oil concentration, and esterase activity in rice bran, 689
Graybosch, R. A. *See* H. Budak, 518
——. *See* G. Guo, 427, 437
——. *See* I. J. Wesley, 462
Greene, R. V. *See* P. Biely, 144
Griffin, W. B. *See* D. Every, 35
Groeneweg, F. *See* P. L. Weegels, 424
Gujral, H S., M. Haros, and C. M. Rosell. Starch hydrolyzing enzymes for retarding the staling of rice bread, 749
Guilbert, S. *See* A. D. Roman-Gutierrez, 558
Guo, G., D. S. Jackson, R. A. Graybosch, and A. M. Parkhurst. Asian salted noodle quality: Impact of amylose content adjustments using waxy wheat flour, 437
——, ——, ——, and ——. Wheat tortilla quality: Impact of amylose content adjustments using waxy wheat flour, 427

Habernicht, D. K. *See* A. K. Jukanti, 712
——. *See* S. P. Lanning, 717
Hall, C. A., III. *See* R. E. Lee, 570
Hallfrisch, J., and K. M. Behall. Physiological responses of men and women to barley and oat extracts (Nu-trimX). I. Breath hydrogen, methane, and gastrointestinal symptoms, 76
——, D. J. Scholfield, and K. M. Behall. Physiological responses of men and women to barley and oat extracts (Nu-trimX). II. Comparison of glucose and insulin responses, 80
Hamaker, B. R. *See* A. Aboubacar, 40
——. *See* M. B. Miklus, 693
Handschin, S. *See* C. Zweifel, 159
Hareland, G. A. Effects of pearling on falling number and α-amylase activity of preharvest sprouted spring wheat, 232
Haros, M. *See* H. S. Gujral, 749
Hashimoto, T. *See* T. Maeda, 722
Hatcher, D. W. *See* M. S. Izydorczyk, 637
Henderson, T. M. H. *See* E. Esselink, 419
Hermann, T. J. *See* Z. Yan, 623
Heyd, B. *See* D. Ghorbel, 732
Hicks, K. B. *See* V. Singh, 118, 126
Hirano, H.-Y. *See* Y. Suzuki, 184
Hoekstra, N. L. L. *See* E. Esselink, 419
Hojilla-Evangelista, M. P., and L. A. Johnson. Optimizing extraction of zein and glutelin-rich fraction during sequential extraction processing of corn, 481
——, and ——. Sequential extraction processing of high-oil corn, 679
Holm, C. *See* S. Bryngelsson, 361
Hong, B. H. *See* C. S. Park, 297
Hoover, R. *See* J. H. Li, 524
Howell, T. A., Jr. *See* R. P. Ranalli, 9
Hsam, S. L. K. *See* H. Wieser, 247
Huber, K. C. *See* A. C. Bertolini, 544
——. *See* S. V. Shinde, 91
Hug-Iten, S., F. Escher, and B. Conde-Petit. Staling of bread: Role of amylose and amylopectin and influence of starch-degrading enzymes, 654
Hugo, L. F., L. W. Rooney, and J. R. N. Taylor. Fermented sorghum as a functional ingredient in composite breads, 495

Ingrosso, M. *See* L. Galleschi, 99
Ishihara, A. *See* S. Bryngelsson, 356
Ishikawa, T. *See* Y. Suzuki, 184
Izydorczyk, M. S., J. E. Dexter. R. G. Desjardins, B. G. Rossnagel, S. L. Lagasse, and D. W. Hatcher. Roller milling of Canadian hull-less

barley: Optimization of roller milling conditions and composition of mill streams, 637
——, M. Jacobs, and J. E. Dexter. Distribution and structural variation of nonstarch polysaccharides in milling fractions of hull-less barley with variable amylose content, 645

Jackson, D. S. *See* G. Guo, 427, 437
——. *See* S. Ozcan, 238
Jacobs, M. *See* M. S. Izydorczyk, 645
Jaime-Fonseca, M. R. *See* E. San Martín-Martínez, 13
Jane, J. *See* P. Patindol, 30
——. *See* D. S. Suh, 745
Jayas, D. S. *See* C. Karunakaran, 553
Jia, C. *See* Q. Zhang, 684
Jiang, Y. *See* M. A. K. Partridge, 791
Johnson, L. A. *See* M. P. Hojilla-Evangelista, 481, 679
Johnston, D. B. *See* V. Singh, 118
Jongen, T. R. G., M. V. Bruschke, and J. G. Dekker. Analysis of dough kneaders using numerical flow simulations, 383
Jukanti, A. K., P. L. Bruckner, D. K. Habernicht, C. R. Foster, J. M. Martin, and A. M. Fischer. Extraction and activation of wheat polyphenol oxidase by detergents: Biochemistry and applications, 712

Kahlon, T. S., and C. L. Woodruff. In vitro binding of bile acids of rice bran, oat bran, barley and β-glucan enriched barley, 260
Kakleas, M. *See* R. M. Agbisit, 84
Karppinen, S., O. Myllymäki, P. Forssell, and K. Poutanen. Fructan content of rye and rye products, 168
Karunakaran, C., D. S. Jayas, and N. D. G. White. X-ray analysis to detect infestations caused by insects in grain, 553
Kawasaki, S. *See* K. Matsunaga, 339
Kerr, W. L. *See* S. G. Choi, 290
Khan, K. *See* R. Sharadanant, 764, 773
Kikuchi, K. *See* T. Yamagishi, 5
Kim, J. M. *See* S. S. Kim, 346
Kim, S. S., M.-R. Rhyu, J. M. Kim, and S.-H. Lee. Authentication of rice using near-infrared reflectance spectroscopy, 346
Koehler, P. *See* N. Bauer, 781, 787
Kohyama, K. *See* J. Matsuki, 476
Kokini, J. L. *See* C. Boischot, 56
Konzak, C. F. *See* B.-K. Baik, 627
Kuroda, S. *See* H. Yano, 172

Lagasse, S. L. *See* M. S. Izydorczyk, 637
Lähteenmäki, L. *See* M. Lyly, 536
Lam, C. D., and R. A. Flores. Effect of particle size and moisture content on viscosity of fish feed, 20
Lanning, S. P., D. Habernicht, J. M. Martin, J. D. Sherman, A. Fischer, and L. E. Talbert. Agronomic and quality performance of progeny lines derived from spring wheat by durum wheat crosses, 717
La Notte, E. *See* M. A. Del Nobile, 601
Larsen, N. G. *See* K. H. Sutton, 707
Launay, B. *See* D. Ghorbel, 732
Leathers, T. D. *See* P. Biely, 144
Lee, M.-R. *See* B.-K. Baik, 304
Lee, R. E., F. A. Manthey, and C. A. Hall, III. Effect of boiling, refrigerating, and microwave heating on cooked quality and stability of lipids in macaroni containing ground flaxseed, 570
Lee, S.-H. *See* S. S. Kim, 346
León, A. E. *See* P. D. Ribotta, 454
Li, J. H., T. Vasanthan, R. Hoover, and B. G. Rossnagel. Starch from hull-less barley: Ultrastructure and distribution of granule-bound proteins, 524
Li, W., B. J. Dobraszczyk, and J. D. Schofield. Stress relaxation behavior of wheat dough, gluten, and gluten protein fractions, 333
Lim, H. S., J. N. BeMiller, and S.-T. Lim. Effect of dry heating with ionic gums at controlled pH on starch paste viscosity, 198
Lim, S.-T. *See* H. S. Lim, 198
Lin, Y.-H., C.-S. Yeh, and S. Lu. Extrusion processing of rice-based breakfast cereals enhanced with tocopherol from a Chinese medical plant, 491
Lookhart, G. *See* C. M. Rosell, 52
Lorenzi, R. *See* L. Galleschi, 99
Loughin, T. *See* Z. Yan, 623
Lu, S. *See* Y.-H. Lin, 491
Lyly, M., M. Salmenkallio-Marttila, T. Suortti, K. Autio, K. Poutanen, and L. Lähteenmäki. Influence of oat β-glucan preparations on the perception of mouthfeel and on rheological properties in beverage prototypes, 536
Lyon, B. G. *See* J. M. Perry, 45

Mabille, F. *See* A. D. Roman-Gutierrez, 558
——. *See* S. Peyron, 62
MacRitchie, F. *See* M. B. Cuniberti, 132
Maeda, T., T. Hashimoto, M. Minoda, S. Tamagawa, and N. Morita. Effects of mutant thermostable α-amylases on rheological properties of wheat dough and bread, 722
Maesmans, G. *See* B. J. Dobraszczyk, 218
Maghirang, E. B., and F. E. Dowell. Hardness measurement of bulk wheat by single-kernel visible and near-infrared reflectance spectroscopy, 316
Magnus, E. M. *See* K. M. Tronsmo, 575, 587
Maliepaard, M. *See* E. Esselink, 396, 419
Malinski, E., J. R. Daniel, X. X. Zhang, and R. L. Whistler. Isolation of small starch granules and determination of their fat mimic characteristics, 1
Mangalika, W. H. A., H. Miura, H. Yamauchi, and T. Noda. Properties of starches from near-isogenic wheat lines with different Wx protein deficiencies, 662
Manthey, F. A. *See* R. E. Lee, 570
Marchylo, B. *See* N. P. Ames, 203
Martin, J. M. *See* A. K. Jukanti, 712
——. *See* S. P. Lanning, 717
Martínez-Bustos, F. *See* E. San Martín-Martínez, 13
Martínez-Montes, J. L. *See* E. San Martín-Martínez, 13
Martinez-Navarrete, N. *See* M. A. Del Nobile, 601
Massa, A. *See* C. F. Morris, 674
Matsuki, J., T. Yasui, K. Kohyama, and T. Sasaki. Effects of environmental temperature on structure and gelatinization properties of wheat starch, 476
Matsukura, U. *See* Y. Suzuki, 184
Matsunaga, K., S. Kawasaki, and Y. Takeda. Influence of physicochemical properties of starch on crispness of tempura fried batter, 339
McMullen, M. S. *See* D. C. Doehlert, 608
Mestres, M. *See* J. A. Ruiz, 255
Mezo-Villanueva, M. *See* S. O. Serna-Saldivar, 148
Miklus, M. B., and B. R. Hamaker. Isolation and characterization of a soluble branched starch fraction from corn masa associated with adhesiveness, 693
Minoda, M. *See* T. Maeda, 722
Miura, H. *See* W. H. A. Mangalika, 662
Mocci, G. *See* M. A. Del Nobile, 601
Mohamed, A. *See* G. A. Garzón, 154
Moore, J. C., and K. D. Dolan. Note: Optimization of oxidation steps used in fluorometric determination of thiamin in soft wheat flour, 238
Moraru, C. I. *See* C. Boischot, 56
Moreau, R. A. *See* V. Singh, 118, 123, 126
Morgenstern, M. P. *See* K. H. Sutton, 707
Morimoto, N. *See* M. Seguchi, 264
Morita, N. *See* T. Maeda, 722
Morris, C. F., and A. Massa. Puroindoline genotype of the U.S. National Institute of Standards & Technology Reference Material 8441,Wheat Hardness, 674
——. *See* J. V. Anderson, 135
Mujoo, R., and P. K. W. Ng. Identification of wheat protein components involved in polymer formation on incubation with transglutaminase, 703
Mulvaney, S. J. *See* N. M. Edwards, 755
Munck, L. *See* J. P. Nielsen, 274
Myllymäki, O. *See* S. Karppinen, 168

Nduulu, L. *See* A. Aboubacar, 40
Nelson, J. E. *See* A. C. Bertolini, 544
——. *See* S. V. Shinde, 91
Newman, C. W. *See* P. J. Wood, 329
Newman, R. K. *See* P. J. Wood, 329
Ng, P. K. W. *See* R. Mujoo, 703
Nicolas, Y., R. J. M. Smit, H. van Aalst, E. Esselink, P. L. Weegels, and W. G. M. Agterof. Effect of storage time and temperature on rheological and microstructural properties of gluten, 371
Nicolay, K. *See* J. P. M. van Duynhoven, 390
Nielsen, J. P., D. K. Pedersen, and L. Munck. Development of nondestructive screening methods for single kernel characterization of wheat, 274
Nikaidoo, S. *See* M. Seguchi, 264
Nishiba, Y. *See* T. Noda, 193
Niu, Y. *See* M. R. Wilkins, 68, 72
Noda, T., Y. Nishiba, T. Sato, and I. Suda. Properties of starches from several low-amylose rice cultivars, 193
——. *See* W. H. A. Mangalika, 662

Osborne, B. G., and R. S. Anderssen. Review: Single-kernel characterization principles and application, 613
——. *See* I. J. Wesley, 462
Ozcan, S., and D. S. Jackson. Note: A response surface analysis of commercial corn starch annealing, 241

Palmquist, D. E. *See* G. A. Garzón, 154
Paredes-López, O. *See* J. Tovar, 533
Park, C. S., B. H. Hong, and B.-K. Baik. Protein quality of wheat desirable for making fresh white salted noodles and its influences on processing and texture of noodles, 297
——. *See* B.-K. Baik, 627
Parkhurst, A. M. *See* G. Guo, 427, 437
Partridge, M. A. K., Y. Jiang, J. H. Skerritt, and K. M. Schaich. Immunochemical and electrophoretic analysis of the modification of wheat proteins in extruded flour products, 791
Paszczynska, B. *See* B.-K. Baik, 627
Patindol, J., X.-J. Wang, T. Siebenmorgen, and J. Jane. Properties of flours and starches as affected by rough rice drying regime, 30
Payne-Wahl, K. L. *See* Y. V. Wu, 567
Pedersen, D. K. *See* J. P. Nielsen, 274
Peñalver, C. *See* J. Tovar, 533
Perry, J. M., R. B. Swanson, B. G. Lyon, and E. M. Savage. Instrumental and sensory assessment of oatmeal and chocolate chip cookies modified with sugar and fat replacers, 45
Peterson, D. M. *See* T. Dokuyucu, 542
Peyron, S., F. Mabille, M. F. Devaux, and J. C. Autran. Influence of structural characteristics of aleurone layer on milling behavior of durum wheat (*Triticum durum* Desf.), 62
Piergiovanni, A. R., and N. Volpe. Capillary electrophoresis of gliadins as a tool in the discrimination and characterization of hulled wheats (*Triticum dicoccon* Schrank and *T. spelta* L.), 269
Platani, C. *See* G. M. Borrelli, 225
Poutanen, K. *See* S. Karppinen, 168
——. *See* M. Lyly, 536
Pudney, P. *See* E. J. J. van Velzen, 378

Quilez, J. *See* J. A. Ruiz, 255

Ram, M. S., F. E. Dowell, and L. M. Seitz. FT-Raman spectra of unsoaked and NaOH-soaked wheat kernels, bran, and ferulic acid, 188
Ranalli, R. P., T. A. Howell, Jr., and Siebenmorgen, T. J. Effects of controlled ambient aeration on rice quality during on-farm storage, 9
Rao, M. A. *See* D. B. Genovese, 350
Rao, V. S. *See* M. Santra, 130
Rausch, K. D. *See* R. M. Agbisit, 84
——. *See* M. R. Wilkins, 68, 72
Ré, E. D. *See* E. A. Tosi, 450
Rhymer, C. R. *See* N. P. Ames, 699
Rhyu, M.-R. *See* S. S. Kim, 346
Ribotta, P. D., A. E. León, and M. C. Añón. Effects of yeast freezing in frozen dough, 454
Rieger, B. *See* J. P. M. van Duynhoven, 390
Rimsten, L., T. Stenberg, R. Andersson, A. Andersson, and P. Åman. Determination of β-glucan molecular weight using SEC with calcofluor detection in cereal extracts, 485
Robertson, G. H., and T. K. Cao. Effect of processing on functional properties of wheat gluten prepared by cold-ethanol displacement of starch, 212
Roman-Gutierrez, A. D., F. Mabille, S. Guilbert, and B. Cuq. Contribution of specific flour components to water vapor adsorption properties of wheat flours, 558
Rooney, L. W. *See* L. F. Hugo, 495
Rosell, C. M., J. Wang, S. Aja, S. Bean, and G. Lookhart. Wheat flour proteins as affected by transglutaminase and glucose oxidase, 52
——. *See* H. S. Gujral, 749
Ross, M. *See* K. H. Sutton, 707
Rossnagel, B. G. *See* M. S. Izydorczyk, 637
——. *See* J. H. Li, 524
Roth, M. R. *See* M. B. Cuniberti, 132
Ruiz, J. A., J. Quilez, M. Mestres, and J. Guasch. Solid-phase microextraction method for headspace analysis of volatile compounds in bread crumb, 255

Salmenkallio-Marttila, M. *See* M. Lyly, 536
San Martín-Martínez, E., M. R. Jaime-Fonseca, F. Martínez-Bustos, and J. L. Martínez-Montes. Selective nixtamalization of fractions of maize grain (*Zea mays* L.) and their use in the preparation of instant tortilla flours analyzed using response surface methodology, 13
Sano, Y. *See* Y. Suzuki, 184
Santra, M., V. S. Rao, and S. A. Tamhankar. Note: Modification of AACC procedure for measuring β-carotene in early generation durum wheat, 130
Sasaki, T. *See* J. Matsuki, 476
——. *See* Y. Suzuki, 184
Sato, T. *See* T. Noda, 193
Savage, E. M. *See* J. M. Perry, 45
Sáyago-Ayerdi, S. G. *See* J. Tovar, 533
Scanlon, M. G. *See* N. M. Edwards, 755
Schaich, K. M. *See* M. A. K. Partridge, 791
Schieberle, P. *See* N. Bauer, 781, 787
——. *See* C. Gellrich, 102
Schofield, J. D. *See* A. A. M. Andersson, 667
——. *See* B. J. Dobraszczyk, 218
——. *See* W. Li, 333
——. *See* K. M. Tronsmo, 575, 587
Scholfield, D. J. *See* J. Hallfrisch, 80
Seguchi, M., S. Nikaidoo, and N. Morimoto. Centrifuged liquid and breadmaking properties of frozen-and-thawed bread dough, 264
Seib, P. A. *See* M. Shin, 564
Seitz, L. M. *See* M. S. Ram, 188
Selles, F. *See* N. P. Ames, 203
Serna-Saldivar, S. O., and M. Mezo-Villanueva. Effect of a cell-wall-degrading enyzme complex on starch recovery and steeping requirements of sorghum and maize, 148
Sharadanant, R., and K. Khan. Effect of hydrophilic gums on frozen dough. I. Dough quality, 764
——, and ——. Effect of hydrophilic gums on the quality of frozen dough: II. Bread characteristics, 773
Shahin, M. A., and S. J. Symons. Color calibration of scanner-dependent grain grading, 285
Sherman, J. D. *See* S. P. Lanning, 717
Shin, M., K. Woo, and P. A. Seib. Hot-water solubilities and water sorptions of resistant starches at 25°C, 564
Shinde, S. V., J. E. Nelson, and K. C. Huber. Soft wheat starch pasting behavior in relation to A- and B-type granule content and composition, 91
Shipman, M. J. *See* H. Budak, 518
Siebenmorgen, T. *See* P. Patindol, 30
——. *See* R. P. Ranalli, 9
Simmons, L. D. *See* K. H. Sutton, 707
Singh, V., D. B. Johnston, R. A. Moreau, K. B. Hicks, B. S. Dien, and R. J. Bothast. Pretreatment of wet-milled corn fiber to improve

recovery of corn fiber oil and phytosterols, 118
——, and R. A. Moreau. Note: Enrichment of oil in corn fiber by size reduction and floatation of aleurone cells, 123
——, ——, and K. B. Hicks. Yield and phytosterol composition of oil extracted from grain sorghum and its wet-milled fractions, 126
——. *See* R. M. Agbisit, 84
Sissons, M. J., and I. L. Batey. Protein and starch properties of some tetraploid wheats, 468
Skerritt, J. H. *See* M. A. K. Partridge, 791
Smewing, J. *See* B. J. Dobraszczyk, 218
Smit, R. J. M. *See* Y. Nicolas, 371
——. *See* P. L. Weegels, 424
Souza, E. *See* A. C. Bertolini, 544
Stapley, J. A., and J. N. BeMiller. Hydroxypropylated starch: Granule subpopulation reactivity, 550
Stenberg, T. *See* L. Rimsten, 485
Suda, I. *See* T. Noda, 193
Suh, D. S., and J. Jane. Comparison of starch pasting properties at various cooking conditions using the Micro Visco-Amylo-Graph and the Rapid Visco-Analyser, 745
Sun, X. S. *See* F. Xie, 25
Sunnerheim, K. *See* S. Bryngelsson, 361
Suortti, T. *See* M. Lyly, 536
Sutton, K. H., N. G. Larsen, M. P. Morgenstern, M. Ross, L. D. Simmons, and A. J. Wilson. Differing effects of mechanical dough development and sheeting development methods on aggregated glutenin proteins, 707
Suzuki, Y., Y. Sano, T. Ishikawa, T. Sasaki, U. Matsukura, and H.-Y. Hirano. Starch characteristics of the rice mutant *du2-2* Taichung 65 highly affected by environmental temperatures during seed development, 184
Swanson, R. B. *See* J. M. Perry, 45
Symons, S. J., L. Van Schepdael, and J. E. Dexter. Measurement of hard vitreous kernels in durum wheat by machine vision, 511
——. *See* M. A. Shahin, 285

Takeda, Y. *See* K. Matsunaga, 339
Talbert, L. E. *See* S. P. Lanning, 717
Tamagawa, S. *See* T. Maeda, 722
Tamhankar, S. A. *See* M. Santra, 130
Taylor, J. R. N. *See* L. F. Hugo, 495
Tejinder, S. Preparation and characterization of films using barley and oat β-glucan extracts, 728
Tilley, M. *See* S. R. Bean, 505
Tomasik, P. *See* P. J. Tomasik, 113
Tomasik, P. J., and P. Tomasik. Review: Probiotics and prebiotics, 113
Tosi, E. A., and E. D. Ré. A fast colorimetric method to estimate corn quality loss, 450
Tovar, J., S. G. Sáyago-Ayerdi, C. Peñalver, O. Paredes-López, and L. A. Bello-Pérez. In vitro starch hydrolysis index and predicted glycemic index of corn tortilla, black beans (*Phaseolus vulgaris* L.), and Mexican "taco," 533
Trogh, I. *See* A. A. M. Andersson, 667
Tronsmo, K. M., E. M. Magnus, P. Baardseth, J. D. Schofield, A. Aamodt, and E. M. Færgestad. Comparison of small and large deformation rheological properties of wheat dough and gluten, 587
——, ——, E. M. Færgestad, and J. D. Schofield. Relationship between gluten rheological properties and hearth loaf characteristics, 575
Tsiami, A. A. *See* A. A. M. Andersson, 667
Tsuboi, T. *See* T. Yamagishi, 5
Tumbleson, M. E. *See* R. M. Agbisit, 84
——. *See* M. R. Wilkins, 68, 72

Valenti, J. J. *See* R. M. Agbisit, 84
van Aalst, H. *See* E. Esselink, 396, 419
——. *See* Y. Nicolas, 371
van den Oever, G. J. Integrated sensory response (ISR) modeling: A new methodology to understand and predict sensory attributes in terms of physical properties, 409
van der Maas, J. H. *See* E. J. J. van Velzen, 378
van Duynhoven, J. P. M., G. M. P. van Kempen, R. van Sluis, B. Rieger, L. J. van Vliet, and K. Nicolay. Quantitative assessment of gas cell development during the proofing of dough by magnetic resonance imaging and image analysis, 390
——. *See* E. Esselink, 396, 419
——. *See* E. J. J. van Velzen, 378
van Kempen, G M. P. *See* J. P. M. van Duynhoven, 390
Van Schepdael, L. *See* S. J. Symons, 511
van Sluis, R. *See* J. P. M. van Duynhoven, 390
van Velzen, E. J. J., J. P. M. van Duynhoven, P. Pudney, P. L. Weegels, and J. H. van der Maas. Factors associated with dough stickiness as sensed by attenuated total reflectance infrared spectroscopy, 378
van Vliet, L. J. *See* J. P. M. van Duynhoven, 390
Vasanthan, T. *See* J. H. Li, 524
Vaughn, S. F. *See* Y. V. Wu, 567
Volpe, N. *See* A. R. Piergiovanni, 269

Wang, J. *See* C. M. Rosell, 52
Wang, P. *See* M. R. Wilkins, 68, 72
Wang, W.-J. *See* P. Patindol, 30
Watanabe, A., K. Yokomizo, and A.-C. Eliasson. Effect of physical states of nonpolar lipid on rheology, ultracentifugation, and microstructure of wheat flour dough, 281
Weegels, P. Introduction: Progress in dough processing and cereal science from unilever research and development, 365
——, F. Groeneweg, E. Esselink, R. Smit, R. Brown, and D. Ferdinando. Note: Large and fast deformations crucial for the rheology of proofing dough, 424
——. *See* Y. Nicolas, 371
——. *See* J. P. M. van Duynhoven, 390
——. *See* E. J. J. van Velzen, 378
Weisz, J. *See* P. J. Wood, 329
Wellner, N., D. Bianchini, E. N. Clare Mills, and P. S. Belton. Effect of selected Hofmeister anions on the secondary structure and dynamics of wheat prolamins in gluten, 596
Wesley, I. J., B. G. Osborne, R. S. Anderssen, S. R. Delwiche, and R. A. Graybosch. Chemometric localization approach to NIR measurement of apparent amylose content of ground wheat, 462
Whistler, R. L. *See* E. Malinski, 1
——. *See* P. Zhang, 252
White, N. D. G. *See* C. Karunakaran, 553
Wieser, H., S. L. K. Hsam, and F. J. Zeller. Relationship between the qualitative and quantitative compositions of gluten protein types and technological properties of synthetic hexaploid wheat derived from *Triticum durum* and *Aegilops tauschii*, 247
——. *See* N. Bauer, 781, 787
——. *See* C. Gellrich, 102
Wilkins, M. R., P. Wang, L. Xu, Y. Niu, M. E. Tumbleson, and K. D. Rausch. Variability of reaction efficiencies and pasting properies of acetylated dent corn starch from various commercial hybrids, 72
——, ——, ——, ——, ——, and ——. Variability in starch acetylation efficiency from commercial waxy corn hybrids, 68
Wilson, A. J. *See* K. H. Sutton, 707
Wilson, J. D. *See* D. B. Bechtel, 175
Wilson, P. E. *See* D. Every, 35
Woo, K. *See* M. Shin, 564
Wood, P. J., J. Weisz, M. U. Beer, C. W. Newman, and R. K. Newman. Structure of (1→3)(1→4)-β-D-glucan in waxy and nonwaxy barley, 329
Woodruff, C. L. *See* T. S. Kahlon, 260
Woods, S. M. *See* N. P. Ames, 203
Wu, Y. V., K. L. Payne-Wahl, and S. F. Vaughn. Analysis of headspace volatiles of corn gluten meal, 567

Xie, F., F. E. Dowell, and X. S. Sun. Comparison of near-infrared reflectance spectroscopy and texture analyzer for measuring wheat bread changes in storage, 25
Xu, L. *See* M. R. Wilkins, 68, 72
Xu, Z. *See* C. J. Bergman, 446

Yamagishi, T., T. Tsuboi, and K. Kikuchi. Note: Potent natural immunomodulator, rice water-soluble polysaccharide fractions with anticomplementary activity, 5

Yamauchi, H. *See* W. H. A. Mangalika, 662
Yan, Z., T. J. Herrman, T. Loughin, A. M. Featherstone, and D. Feng. Nutritional and economic implications of protein variance and application of statistical process control in the Chinese feed industry, 623
Yang, W. *See* Q. Zhang, 684
Yano, H., and S. Kuroda. Identification of disulfide proteins in the salt soluble fraction of rice (*Oryza sativa*) seed, 172
Yasui, T. *See* J. Matsuki, 476
Yeh, C.-S. *See* Y.-H. Lin, 491
Yokomizo, K. *See* A. Watanabe, 281
Zeller, F. J. *See* H. Wieser, 247
Zhang, P., Q. Zhang, and R. L. Whistler. L-Arabinose release from arabinoxylan and arabinogalactan under potential gastric acidities, 252
Zhang, Q., W. Yang, and C. Jia. Preservation of head rice yield under high-temperature tempering as explained by the glass transition of rice kernels, 684
——. *See* P. Zhang, 252
Zhang, X. X. *See* E. Malinski, 1
Zweifel, C., S. Handschin, F. Escher, and B. Conde-Petit. Influence of high-temperature drying on structural and texural properties of durum wheat pasta, 159

Subject Index to Volume 80

Page numbers of errata are in italic.

Acknowledgment of reviewers, iii
Aleurone, cells; enrichment of corn fiber oil by floatation of (Singh and Moreau), 123
α-Amylase
—antistaling effect in bread (Hug-Iten et al), 654
—of mutant thermostable; dough property and bread quality (Maeda et al), 722
—pearling effects on, of preharvest sprouted spring wheat (Hareland), 232
Amylopectin
—fine structure of nonwaxy and low amylase rice strains (Suzuki et al), 184
—molecular weight degradation in jet cooking (Byars), 87
—role in bread staling (Hug-Iten et al), 654
Amylose
—apparent, content of ground wheat (Wesley et al), 462
—content of rice mutant; highly affected by environmental temperatures during seed development (Suzuki et al), 184
—gelatinization of, relation to crispness of tempura coating (Maghirang and Dowell), 316
—in wheat flour; impact on Asian salted noodle qualities and optimal content (Guo et al), 437
—in wheat flour; impact on wheat tortilla qualities and optimal content (Guo et al), 427
Arabinoxylans
—and arabinogalactan, potential gastric acidities (Zhang et al), 252
—in milling fractions of hull-less barley (Andersson et al), 667
Avenanthramides
—in dry and steeped oats; relation between content and activity of a biosynthetic enzyme (Bryngelsson et al), 356
—in steeped oat flour enzyme affecting content (Bryngelsson et al), 361

Baking, quality; predicted from gluten rheological properties (Tronsmo et al), 575
Barley
—hulled and hull-less, β-glucan, preparation and characterization of films (Tejinder), 728
—hull-less, milling of (Andersson et al), 667
—hull-less, roller milling of (Izydorczyk et al), 637
—hull-less starch; granule-bound proteins (Li et al), 524
—hull-less, with variable amylose content, milling fractions of (Izydorczyk et al), 645
—physiological responses to extracts of, gastrointestinal symptoms (Hallfrisch et al), 76, 80
—Single-Kernel Characterization System (Osborne and Anderssen), 613
—waxy and nonwaxy, β-glucan structure in (Wood et al), 329
Barley bran, bile acid binding (Kahlon and Woodruff), 260
Batter, of tempura coating; prepared from wheat protein and starch (Maghirang and Dowell), 316
Bean, starch hydrolysis index and predicted glycemic index of (Tovar et al), 533
Beverage, with β-glucan, sensory quality and instrumental viscosity (Lyly et al), 536
Bile acid binding, by rice bran, oat bran, barley, and β-glucan enriched barley (Kahlon and Woodruff), 260
Bran oil, extracted from cereal bran (Goffman and Bergman), 689
Bread
—characteristics, hydrophilic gum effect on frozen dough (Sharadanant and Khan), 773
—crumb; solid-phase microextraction for headspace analysis of volatile compounds in (Ruiz et al), 255
—prepared from double-null partial waxy wheat, characteristics (Baik et al), 627
—effect of mutant thermostable α-amylases as additive (Maeda et al), 722
—rice, staling retardation, starch hydrolyzing enzymes for (Gujral et al), 749
—staling; glycerol effect (Baik and Chinachoti), 740
—staling; influence of α-amylases on (Hug-Iten et al), 654
—texture analyzer; comparison to NIR (Xie et al), 25
Breadmaking
—performance predicted from gluten rheological properties (Tronsmo et al), 575
—performance, relationship to elevated temperatures, extensional rheology and stability (Dobraszczyk et al), 218
—properties; frozen-and-thawed (Seguchi et al), 264
—quality (Wieser et al), 247
—sorghum composite bread (Hugo et al), 495

β-Carotene, procedure for elimination in early generation material of wheat (Santra et al), 130
Cereal
—extracts; SEC with Calcofluor detection, β-glucan molecular weight determination (Rimsten et al), 485
—HPCE for separation of water-soluble proteins from (Bean and Tilley), 505
Color, calibration; of scanners for scanner-independent grain grading (Shahin and Symons), 285
Cookies, chocolate chip and oatmeal, reduced in fat and/or sugar, instrumental and sensory assessment of (Perry et al), 45
Cooking, starch pasting properties compared (Suh and Jane), 745
Corn (see also Maize)
—fiber, enrichment of oil in by size reduction and floatation of aleurone cells (Singh and Moreau), 123
—fiber, pretreatment of to improve recovery of corn fiber oil and phytosterols (Singh et al), 118
—gluten meal; headspace volatiles (Wu et al), 567
—high-oil, sequential extraction processing of (Hojilla-Evangelista and Johnson), 679
—masa association with adhesiveness; isolation and characterization of starch fraction (Miklus and Hamaker), 693
—selective nixtamalization of maize grain (San Martin-Martínez et al), 13
—sequential extraction processing of, zein and glutelin-rich fraction during (Hojilla-Evangelista and Johnson), 481
—wet-milling; measurement of surface-fouling tendencies of steepwater from (Agbisit et al), 84
Corn starch
—annealing; response surface analysis of (Ozean and Jackson), 241
—debranched, structural changes of (Han et al), 323
—jet cooking of waxy maize starch (Byars), 87
—wet milling (Serna-Saldívar and Mezo-Villanueva), 148

Dietary fiber, prebiotic properties (Tomasik and Tomasik), 113
Differential scanning calorimetry
—for analysis of corn starch annealing (Ozean and Jackson), 241
—dehydration of gluten and dough (Bot), 366
Disulfide bonds, formation in developing wheat grain protein (Every et al), 35
Dough
—assessment of proofing behavior (van Duynhoven et al), 390
—bread characteristics, hydrophilic gum effect on frozen dough quality (Sharadanant and Khan), 773
—bread, extensional rheology and stability of gas cell walls in relation to breadmaking performance (Dobraszczyk et al), 218
—bread, frozen-and-thawed (Seguchi et al), 264
—development with sheeting and mechanical development methods (Sutton et al), 707
—during prolonged frozen storage (Bot), 366
—effect of amylose content on properties (Guo et al), 427, 437
—effect of mutant thermostable α-amylase on properties (Maeda et al), 722
—frozen, effects of yeast freezing in (Ribotta et al), 454

Publication no. C-2003-1010-02O.

—frozen, hydrophilic gum effect on quality (Sharadanant and Khan), 764
—frozen wheat, storage effect in (Esselink et al), 396
—and gluten; small and large deformation rheological properties (Tronsmo et al), 587
—mixing; characteristics, genetic and environmental effects on (Budak et al), 518
—mixing; with kneaders using numerical flow simulations (Jongen et al), 383
—proofing, large and fast deformations for rheology of (Weegels et al), 424
—sensed by attenuated total reflectance infrared spectroscopy (van Velzen et al), 378
—stress relaxation behavior of (Li et al), 333
—viscoelastic properties; gluten role in determining (Edwards et al), 755
—wheat flour, method for measuring pressure-sensitive adhesiveness of (Ghorbel et al), 732
—wheat flour, physical states of nopolar lipids on rheology, ultracentrifugation, and microstructure of (Watanabe et al), 281
Drying
—moisture removal from cereal material (Zhang et al), 684
—rough rice; effects on properties of flours and starches (Patindol et al), 30
—thermal damage, quality loss, protein thermal degradation (Tosi and Ré), 450

Electrophoresis, capillary, of gliadins in hulled wheat characterization (Piergiovanni and Volpe), 269
Environment, effect on tocopherol, tocotrienol, and γ-oryzanol contents of rice (Bergman and Xu), 446
Enzymes
—aryl-glycosidase activities in germinating maize (Biely et al), 144
—associated with disulfide bond formation in developing wheat kernels (Every et al), 35
—avenanthramide biosynthesis in oats (Bryngelsson et al), 356
—cell-wall-degrading (Serna-Saldívar and Mezo-Villanueva), 148
—effects of transglutaminase on flour proteins (Mujoo and Ng), 703
—responsible for avenanthramide change in water-soaked oat flour (Bryngelsson et al), 361
Errata
—vol. 79, no. 5, pp. 654-661 (2002), *111*
—vol. 79, no. 6, pp. 757-762 (2002), *244*
Extraction
—optimizing, of zein, during sequential extraction processing of corn (Hojilla-Evangelista and Johnson), 481
—processing of high-oil corn (Hojilla-Evangelista and Johnson), 679
Extrudates, glassy amylopectin, microwave expansion (Boischot et al), 56
Extrusion
—of fish feed; particle size effect on (Lam and Flores), 20
—effects on proteins in wheat flour (Partridge et al), 791

Fat, replacement; physical and sensory understanding of three different routes (van den Oever), 409
Fertilizer, effect on protein quantity and gluten strength in durum wheat (Ames et al), 203
Fiber, cotyledon, isolation and characterization from peas, lentils, and chickpeas (Dalgetty and Baik), 310
Flavor
—chocolate chip and oatmeal cookies, reduced in fat and/or sugar, sensory descriptive analysis (Perry et al), 45
—corn gluten meal (Wu et al), 567
Flaxseed, macaroni containing, cooked quality and stability of lipids, factors affecting (Lee et al), 570
Flour
—extruded products; wheat protein modification, analysis (Partridge et al), 791
—influence on small and large deformation rheological properties of dough and gluten (Tronsmo et al), 587
—properties; effects of rough rice drying regime (Patindol et al), 30
—quality effect on gluten rheology and baking (Tronsmo et al), 575
—rye, storage protein types in, biochemical characterization and quantification of (Gellrich et al), 102
—waxy wheat, application for Asian salted noodles (Guo et al), 437
—waxy wheat, application for wheat tortillas (Guo et al), 427
—wheat, isolation of puroindoline-b by preparative acid electrophoresis (Galleschi et al), 99
Fluorescence, of thiochrome; optimizing oxidation of thiamin for fluorometric analysis of thiamin in soft wheat flour (Moore and Dolan), 238
Free fatty acids, release by enzymatic breakdown of lipids (Goffman and Bergman), 459

Germination, aryl-glycosidase enzyme activities in maize (Biely et al), 144
Glass transition
—as affected by prolonged frozen storage (Bot), 366
—of rice kernels; head rice yield preservation, temperature (Zhang et al), 684
—starch, expansion (Boischot et al), 56
Gliadins
—capillary electrophoresis of, in hulled wheat characterization (Piergiovanni and Volpe), 269
—modification during extrusion (Partridge et al), 791
β-Glucan
—barley and oat, preparation and characterization of films using barley and oat (Tejinder), 728
—enriched barley; bile acid binding (Kahlon and Woodruff), 260
—milling fractions of hull-less barley (Andersson et al), 667
—molecular weight determination of in cereal extracts (Rimsten et al), 485
—from oat; sensory characteristics and instrumental viscosity (Lyly et al), 536
—structure in waxy and nonwaxy barley (Wood et al), 329
Gluten
—cold ethanol method (Robertson and Cao), 212
—cross-linked by transglutaminase (Mujoo and Ng), 703
—and dough; small and large deformation rheological properties (Tronsmo et al), 587
—during prolonged frozen storage (Bot), 366
—proteins of wheat; microbial transglutinase effects, biochemical analysis (Bauer et al), 781
—proteins of wheat; microbial transglutinase effects, rheological properties (Bauer et al), 787
—rheological and microstructural properties of, storage time and temperature effect (Nicolas et al), 371
—rheological properties in relation to baking quality (Tronsmo et al), 575
—role in determining durum semolina dough viscoelastic properties (Edwards et al), 755
—role in distribution of water in dough (Bot and de Bruijne), 404
—strength; effect of nitrogen fertilizer on (Ames et al), 203
—stress relaxation behavior of (Li et al), 333
Grain
—image; processing of grain legumes (Shahin and Symons), 285
—insects; X-ray image analysis for detection (Karunakaran et al), 553
Gums
—hydrophilic, effect on frozen dough quality (Sharadanant and Khan), 764
—hydrophilic, frozen dough quality affected by, bread characteristics (Sharadanant and Khan), 773

Hardness
—single-kernel measurement of wheat (Matsunaga et al), 339
—wheat, SRM 8441, puroindoline genotype of (Morris and Massa), 674
Heating, effect on structural changes of debranched corn starch (Han et al), 323
Hemicellulose, corn hulls, L-arabinose release (Zhang et al), 252
^{1}H NMR, determination of water dynamics and retrogradation kinetics (Choi and Kerr), 290
HPCE, for separation of water-soluble proteins from cereals (Bean and Tilley), 505
HPLC
—flour proteins cross-linked by transglutaminase (Mujoo and Ng), 703
—reversed-phase, gliadin, and gluten differences between synthetic and parental lines of hexaploid wheat (Wieser et al), 247

Industrial dough processing, impact on structure (Esselink et al), 419
Insects, in grain; X-ray image analysis for detection (Karunakaran et al), 553

Instructions to authors, v
Ionic gum, dry heat effect on starch paste viscosity (Lim et al), 198

Kernels, hard vitreous, measurement in durum wheat (Symons et al), 511
Kneaders, dough, using numerical flow simulations (Jongen et al), 383

Lactic acid, fermentation; sorghum in breadmaking (Hugo et al), 495
Legumes, peas, chickpeas, and lentils, cotyledon fibers from (Dalgetty and Baik), 310
Lipase activity, enzymatic split of triacylglycerols (Goffman and Bergman), 689
Lipids
—in macaroni containing ground flaxseed; factors affecting cooked quality and stability of (Lee et al), 570
—nonpolar, physical states on rheology, ultracentrifugation, and microstructure of wheat flour dough (Watanabe et al), 281
Lipoxygenase, activity in durum wheat semolina and dough samples (Borrelli et al), 225

Maize (see also Corn)
—aryl-glycosidase enzyme activities in germination (Biely et al), 144
Methods
—colorimetric, to estimate corn quality loss (Tosi and Ré), 450
—gluten index, to evaluate gluten strength of cultivar with varying protein content (Ames et al), 203
—to measure pressure-sensitive adhesiveness of wheat flour dough (Ghorbel et al), 732
—nondestructive screen, for single kernel wheat characterization (Nielsen et al), 274
—oat end product testing (Ames and Rhymer), 699
—solid-phase microextraction for headspace analysis of volatile compounds in bread crumbs (Ruiz et al), 255
Microstructure, of wheat flour dough; physical states of nonpolar lipids on (Watanabe et al), 281
Microwave, expansion of glassy amylopectin extrudates; factors influencing (Boischot et al), 56
Milling
—α-amylase and falling number relationship (Hareland), 232
—of durum wheat; tissue dissociation during (Peyron et al), 62
—fractions; chemical characterization (Andersson et al), 667
—fractions of hull-less barley; nonstarch polysaccharides (Izydorczyk et al), 645
—quality as affected by rough rice drying regime (Patindol et al), 30
—roller, of hull-less barley, optimization of conditions (Izydorczyk et al), 637
Moisture, content: effect on fish feed viscosity (Lam and Flores), 20
Monoclonal antibody, detection of protein modifications in extruded wheat flour with (Partridge et al), 791
MRI, assessment of dough proofing (van Duynhoven et al), 390

NIR spectroscopy
—for hardness measurement of wheat (Matsunaga et al), 339
—measurement of apparent amylose content of ground wheat (Wesley et al), 462
—measuring bread changes (Xie et al), 25
—for rice authentication (Kim et al), 346
Nixtamalization, preparation of instant flour for tortilla (San Martin-Martínez et al), 13
NMR, for study of impact of industrial dough processing on structure (Esselink et al), 419
Noodles
—prepared from double-null partial waxy wheat, characteristics (Baik et al), 627
—white salted, protein influence on texture and processing (Park et al), 297
—white salted, textural properties affected by starch amylose content of wheat (Baik and Lee), 304

Oat
—avenanthramides in steeped flour (Bryngelsson et al), 361
—end-product testing; laboratory-scale flaking machine for (Ames and Rhymer), 699
—germination; effect on avenanthramides (Bryngelsson et al), 356
—β-glucan, preparation and characterization of films (Tejinder), 728
—physiological responses to extracts of, gastrointestinal symptoms (Hallfrisch et al), 76, 80
—simple phenolics; antioxidant activity (Dokuyucu et al), 542
—sprout damage identified (Doehlert and McMullen), 608
Oat bran, bile acid binding (Kahlon and Woodruff), 260
Oil, content effect on physicochemical properties of corn starch-soybean oil composites (Garzón et al), 154

Particle size, effect on fish feed viscosity (Lam and Flores), 20
Pasta
—factors affecting cooked quality and stability of lipids in macaroni containing ground flaxseed (Lee et al), 570
—processing; influence of some chemical and physical conditions on (Borrelli et al), 225
—quality; influence of high-temperature drying (Zweifel et al), 159
Physicochemical properties, of starch-oil composites, effect of oil and pH (Garzón et al), 154
Phytosterols
—composition of oil extracted from grain sorghum and its wet-milled fractions (Singh et al), 126
—recovery of, by pretreatment of wet-milled corn fiber (Singh et al), 118
Polyphenol oxidase
—wheat, extraction and activation by detergents (Jukanti et al), 712
—wheat grain, purification and analysis (Anderson and Morris), 134
Polysaccharides, rice water-soluble fractions, anticomplementary activity (Yamagishi et al), 5
Prebiotics, mechanism of action (Tomasik and Tomasik), 113
Probiotics, functional food (Tomasik and Tomasik), 113
Proofing, of dough
—large and fast deformations for rheology of (Weegels et al), 424
—as measured by MRI (van Duynhoven et al), 390
Protein
—alteration, during extrusion (Partridge et al), 791
—content; nondestructive screening method for (Nielsen et al), 274
—digestibility of sorghum lines; turbidity assay for (Aboubacar et al), 40
—disulfide, identification of salt soluble fraction of rice seed (Yano and Kuroda), 172
—microstructure in pasta (Zweifel et al), 159
—quality of durum wheat (Sissons and Batey), 468
—quality of wheat; for fresh white salted noodles (Park et al), 297
—quantity; under different nitrogen growing conditions (Ames et al), 203
—role of redox enzymes and ascorbate in disulfide bond formation (Every et al), 35
—variation and nutritional and economic implications of, in Chinese feed industry (Yan et al), 623
—water-soluble, separation from cereals by HPCE (Bean and Tilley), 505
—wheat, in extruded flour products, analysis (Partridge et al), 791
—wheat components, in polymer formation on transglutaminase incubation (Mujoo and Ng), 703
—wheat flour, analysis by free-zone capillary electrophoresis (Rosell et al), 52

Retrogradation, effect of hydroxypropylation, related to water dynamics, ^{1}H NMR (Choi and Kerr), 290
Rheological properties, of dough, gluten, and gluten protein fractions (Li et al), 333
Rheology
—extensional, of gas cell walls in bread doughs in relation to breadmaking performance (Dobraszczyk et al), 218
—of jet cooked waxy maize starch (Byars), 87
—of proofing dough; large and fast deformations (Weegels et al), 424
—oscillaing and continous shear of starch dispersions (Genovese and Rao), 350
—properties of gluten; storage time and temperature effect (Nicolas et al), 371
—in relation to dough microstructure and strain hardening (Bot and de Bruijne), 404
—small and large deformation methods (fundamental and empirical) applied to wheat dough and gluten (Tronsmo et al), 587
—for study of impact of industrial dough processing on structure (Esselink et al), 419
—of wheat flour dough; physical states of nonpolar lipids on (Watanabe et al), 281
Rice
—breakfast cereal, enhanced with tocopherol from a Chinese medical

plant (Lin et al), 491
—drying regime; effects on properties of flours and starches (Patindol et al), 30
—kernels; glass transition of, head rice yield preservation (Zhang et al), 684
—mutant; structure and properties of starches from (Suzuki et al), 184
—NIR spectroscopy for identification of Korean vs. foreign rice (Kim et al), 346
—quality during storage; controlled ambient aeration effects on (Ranalli et al), 9
—seed; salt soluble fraction of, identification of disulfide proteins (Yano and Kuroda), 172
—starch properties in low-amylose cultivars (Noda et al), 193
—tocopherol, tocotrienol, and γ-oryzanol contents of, genotype and environmental effects (Bergman and Xu), 446
—water-soluble polysaccharide fractions; anticomplementary activity (Yamagishi et al), 5
Rice bran
—bile acid binding (Kahlon and Woodruff), 260
—by product from rice milling (Goffman and Bergman), 459
—hydrolytic rancidity, oil concentration, and esterase activity relationship (Goffman and Bergman), 689
RP-HPLC, quantification of storage protein in rice flour (Gellrich et al), 102
RVA analysis, of small starch granules; isolation and determination of fat mimic characteristics (Malinski et al), 1
Rye
—flour; storage protein types in, biochemical characterization and quantification of (Gellrich et al), 102
—fructan content (Karppinen et al), 168

Salt, effect on prolamin secondary structure and mobility (Wellner et al), 596
Scanning electron microscopy, for study of impact of industrial dough processing on structure (Esselink et al), 419
SDS-PAGE
—flour proteins cross-linked by transglutaminase (Mujoo and Ng), 703
—gels; for separation of sorghum proteins (Bean), 500
—glutenin subunits, LMW and HMW (Partridge et al), 791
Semolina, dough processing; influence of some chemical and physical conditions on (Borrelli et al), 225
Sensory response, integration of different physical effects (van den Oever), 409
Sheeting, and mechanical dough development methods on aggregated glutenin proteins (Sutton et al), 707
Single-Kernel Characterization System, for barley, wheat, oats, rice, sorghum (Osborne and Anderssen), 613
Solid-phase microextraction method, headspace analysis of volatile compounds in bread crumb (Ruiz et al), 255
Sorghum
—fermented, in composite breads (Hugo et al), 495
—high protein digestibility lines, turbidity assay for identification (Aboubacar et al), 40
—oil extracted from and its wet-milled fractions, yield and phytosterols (Singh et al), 126
—proteins; SDS-PAGE gels for separation of (Bean), 500
—starch; wet milling (Serna-Saldívar and Mezo-Villanueva), 148
Sourdough, sorghum in composite breads (Hugo et al), 495
Spaghetti, hydration kinetic during cooking and overcooking; influence of raw materials and processing conditions (Del Nobile et al), 601
Sprout damage, identified in oats (Doehlert and McMullen), 608
Staling
—measuring by NIR (Xie et al), 25
—model for bread staling (Hug-Iten et al), 654
—of rice bread; starch hydrolyzing enzymes for retarding (Gujral et al), 749
Starch
—acetylation efficiency from waxy corn hybrids, variability (Wilkins et al), 68, 72
—amylose, content effect on wheat, white salted noodles (Baik and Lee), 304
—composition and reactivity; A- and B-type granules of normal, partial waxy, and waxy wheat (Bertolini et al), 544
—corn and sorghum (Serna-Saldívar and Mezo-Villanueva), 148
—formation in wheat (Bechtel and Wilson), 175
—fraction from corn masa; adhesiveness, isolation and characterization of (Miklus and Hamaker), 693
—from hull-less barley; granule-bound proteins (Li et al), 524
—hydrolyzing enzymes; for retarding rice bread staling (Gujral et al), 749
—hydrolysis index of corn, tortilla, black beans, and Mexican taco (Tovar et al), 533
—hydroxypropyl, granule subpopulation reactivity (Stapley and BeMiller), 550
—influence on crispness of tempura coating (Maghirang and Dowell), 316
—low-amylose rice cultivars (Noda et al), 193
—microstructure in pasta (Zweifel et al), 159
—near-isogenic wheat lines with different Wx protein deficiencies (Mangalika et al), 739
—pasting properties; comparison at various cooking conditions (Suh and Jane), 745
—plant storage polysaccharide (Malinski et al), 1
—potato and waxy maize, heat treatment with ionic gums (Lim et al), 198
—properties and structures; effects of rough rice drying regime (Patindol et al), 30
—quality of durum wheat (Sissons and Batey), 468
—resistant, as prebiotics (Tomasik and Tomasik), 113
—resistant, water solubility and sorptin (Shin et al), 564
—role of amylose and amylopectin in bread (Hug-Iten et al), 654
—role in distribution of water in dough (Bot and de Bruijne), 404
—role of granules and amylose on rheology of dispersions (Genovese and Rao), 350
—structure and properties of, from nonwaxy and low amylase rice strains (Suzuki et al), 184
—wheat, effect of environmental temperature on structure and gelatinization properties of (Matsuki et al), 476
Statistical Process Control, in Chinese feed industry (Yan et al), 623
Steeping, effect on avenanthramides in oats (Bryngelsson et al), 356, 361
Storage
—frozen, effect on gluten and dough (Bot), 366
—frozen, effect on rheological and microstructural properties of gluten (Nicolas et al), 371
—long-term effect on frozen dough (Esselink et al), 396
—of rice; quality affected by controlled ambient aeration (Ranalli et al), 9
—of rice bran; fatty acid composition in (Goffman and Bergman), 459

Temperature
—environmental, effect on starch structure and gelatinization properties (Matsuki et al), 476
Texture
—chocolate chip and oatmeal cookies, reduced in fat and/or sugar, correlations between probing and sensory descriptive analysis (Perry et al), 45
—of cooked oatmeal (Ames and Rhymer), 699
—measuring by NIR (Xie et al), 25
—relationship with structure in pasta (Zweifel et al), 159
Thiamin, effects of sodium chloride, sodium hydroxide, timing, and oxidizing agent level on accuracy of fluorometric analysis of (Moore and Dolan), 238
Tocopherol, enhancing in rice-based breakfast cereal, obtained from a Chinese medical plant (Lin et al), 491
Tortilla
—starch hydrolysis index and predicted glycemic index of (Tovar et al), 533
Transmission electron microscopy, ultrastructure and distribution of granule-bound proteins in hull-less barley starch granule-bound proteins (Li et al), 524
Turbidity, assay; for identification of high protein digestibility sorghum lines (Aboubacar et al), 40

Ultracentrifugation, of wheat flour dough; physical states of nonpolar lipids on (Watanabe et al), 281

Viscosity, of fish feed; particle size and moisture content effect on (Lam and Flores), 20

Water
—distribution in dough (Bot and de Bruijne), 404

—evaporation; evaluation of crispness of tempura coating (Maghirang and Dowell), 316
—self-diffusion coefficient and staling of white bread; glycerol effect (Baik and Chinachoti), 740
—sorption kinetic of spaghetti; influence of raw materials and processing conditions (Del Nobile et al), 601
—vapor adsorption properties of wheat flours; flour component contribution to (Roman-Gutierrez et al), 558
Water dynamics; wheat, amylose, amylopectin, and hydroxypropylated starch gels during retrogradation (Choi and Kerr), 290
Wet milling
—of corn; measurement of surface-fouling tendencies of steepwater from (Agbisit et al), 84
—of corn; thermally damaged protein impedes separation from starch in wet milling (Tosi and Ré), 450
—of corn fiber; to improve recovery of corn fiber oil and phytosterols (Singh et al), 118
—of hybrid corn (Wilkins et al),68, 72
—yield and phytosterol composition of oil extracted from grain sorghum (Singh et al), 126
Wheat
—Argentinean, composition-functionality relationships (Cuniberti et al), 132
—developing, relationship of redox enzymes and ascorbate to protein disulfide bond formation (Every et al), 35
—durum, effect of nitrogen fertilizer on protein and gluten strength (Ames et al), 203
—durum, measurement of hard vitreous kernels in (Symons et al), 511
—durum, milling quality (Peyron et al), 62
—durum, protein and starch properties of (Sissons and Batey), 468
—durum, Single-Kernel Characterization System (Osborne and Anderssen), 613
—effect on Asian salted noodle qualities (Guo et al), 437
—endosperm formation on (Bechtel and Wilson), 175
—end-use quality analysis (Budak et al), 518
—flour; contribution to water vapor adsorption properties of (Roman-Gutierrez et al), 558
—flour; optimizing oxidation step for fluorometric analysis of thiamin in (Moore and Dolan), 238
—flour amylose; optimal content for wheat tortillas (Guo et al), 427
—flour proteins; cross-linking by enzyme treatment (Rosell et al), 52
—gluten drying (Robertson and Cao), 212
—gluten proteins; microbial transglutinase effects, biochemical analysis (Bauer et al), 781
—gluten proteins; microbial transglutinase effects, rheological properties (Bauer et al), 787
—grain PPO protein; purification and analysis (Anderson and Morris), 134
—ground, apparent amylose content of (Wesley et al), 462
—hardness, puroindoline genoype (Morris and Massa), 674
—hardness measurement; visible and NIR spectroscopy (Matsunaga et al), 339
—hulled, screening of germplasm (Piergiovanni and Volpe), 269
—isolation of puroindoline-b from flour by preparative acid electrophoresis (Galleschi et al), 99
—kernels; effect of NaOH soak on FT-Raman spectra of (Ram et al), 188
—normal, partial waxy, and waxy, A- and B-type granule composition and reactivity (Bertolini et al), 544
—partial waxy, for noodle and bread preparation (Baik et al), 627
—polyphenol oxidase; extraction and activation by detergents (Jukanti et al), 712
—preharvest sprouted spring, pearling effects on falling number and α-amylase activity (Hareland), 232
—protein components; in polymer formation on transglutaminase incubation (Mujoo and Ng), 703
—protein in extruded flour products, analysis (Partridge et al), 791
—protein quality; for fresh white salted noodles (Park et al), 297
—quality; species and breeding (Wieser et al), 247
—single kernel characterization of, screening methods for (Nielsen et al), 274
—spring and durum crosses, progeny lines from (Lanning et al), 717
—starch; A- and B-type, starch pasting and chemical composition (Shinde et al), 91
—starch; effect of environmental temperature on structure and gelatinization properties of (Matsuki et al), 476
—starch; properties from near-isogenic lines with different Wx protein deficiencies (Mangalika et al), 662
Wheat bran, effect of NaOH soak on FT-Raman spectra of (Ram et al), 188

X-ray diffraction, for analysis of corn starch annealing (Ozean and Jackson), 241

Zein, optimizing extraction during sequential extraction processing of corn (Hojilla-Evangelista and Johnson), 481